

Alaska Department of Environmental Conservation

Seward Pre-Positioned Response Conex

(Updated March 2013)

One 20-foot Local Response Container located in the Seward Small Boat Harbor, co-located next to the Coast Guard response container.

Contacts for access to this conex:

Seward Harbormaster's Office (907) 224-3138

Mack Funk (Seward Harbormaster) (907) 491-1121 (Cell)

Matt Chase (Seward Harbormaster) (907) 362-1464 (Cell)

Norm Regis (Seward Harbormaster) (907) 362-1678 (Cell)

Harbor On-Call Duty Phone (907) 362-3030

Don Fritz (ADEC) (907) 262-3419 (Office) (907) 394-0385 (Cell)

Frank Wesser (ADEC) (907) 336-0208 Anchorage Responders (ADEC) (907) 269-3063 After Hours Call 1-800-478-9300



LOCATION MAP



SEWARD RESPONSE CONEX

QTY	UNIT	DESCRIPTION	USED DATE	QTY		
INITIAL RA	APID RESP	ONSE KIT				
SECURITY	Y/LIGHTING					
1	ea	American padlock, heavy duty w/2 keys				
2	ea	8" X 8" X 8' AWW treated timbers for blocking				
CONTAINMENT						
600	ft	Elastec, 8" X 12 Harbor boom, yellow, 100' lengths, marked ADEC with following 8" boom tow/anchor kit:				
2	ea.	Elastec Tow Bridle with float ASTM "Z"				
1	ea.	3/8" 3-Strand Braided Nylon Line, 600' spool				
21	ea.	Anchor/Tow Lines: 1/2" X 100 ' Twisted Nylon lines with: 1/2" Galvanized Thimble in each end of lines				
8	ea.	Anchor Chains: 3/8" (10mm) X 10' long, Proof Coil "Hot Dipped" Galvanized Chain with a 3/8" "Eye to Eye" Swivel and 2- 3/8" Galvanized Shackles on one end of each 10' section of chain				
7	ea.	Anchors: 22 lb Danforth self-burying anchor with a 1/2" Galvanized Shackle to the "contact plate" of each Danforth acnhor and 1/2" Galvanized Shackle in each Danforth anchore "Shaft Eye"				
14	ea.	Bouys: Polyform type, size: A-1, Crab Buoys, color: Orange, each buoy with: a 10' section of 1/2" Twisted Nylone rope through each buoy's eye, a 1/2" Galvanized Shackle on each endl of the 10' line., a 1/2" Galvanized Shackle attached to the thimble on each end of the 10' line.				
14	ea.	Stainless Steel Snap Hooks: 7/16" Stainless Steel Snap Hooks, to fit onto thimbled ends of the above 10' Buoy lines.				
		Elastec, 6" boom (Fast Response) Super Swamp Mode				
12	secs.	(25' sections) with the following 6" boom tow/anchor kit:				
10	ea.	3/8" Statinless Stell Boom connector toggle pinse for the 6" boom				
4	ea.	8 lb. galvanized Danforth Anchor with 3/8" shackle drill into the head of each anchor and shackle attached				
4	ea.	1/4" Galvanized Anchor Chain (10' sections)				
4	ea.	A-0 Poly Florescent Orange Bouys w/ 2 foot "tag lines-spliced eyes each end attached				
8	ea.	White Nylon 3-Strand Anchor Lines 3/8" X 50' w/thimble eye each end				
14	ea.	7/16" Galvanized Snap Hooks				
20	ea.	3/8" Galvanized Shackles				
1	ea.	5/16" X 600' Spool, 3 Strand Braided Nylon Line				
4	ea.	Tow mini bridle, boom cable type w/float for te 6" boom. 3" Pem. Stenciling.				

SEWARD RESPONSE CONEX

QTY	UNIT	DESCRIPTION	USED DATE	QTY			
RECOVERY							
20	bdls.	Sorbent boom, STWB510SN, (4 each 5" X 10' lengths per bundle)					
30	bdls.	Sorbent pads, type 3M HP 156, 17" X 19", (100 count per bundle)					
2	rolls	Sorbent roll, type 3M HP-100, High Capacity, 38" X 144'					
20	bdls.	3M Brand, Model T-126, 17"X 100' Sorbent Sweeps (bundles)					
2	bags	Opti-sorb Absorbent (Floor Dry) in Bags					
1	ea Pump, Fill Rite FR 1604 Pump Kit Fuel oil pujmp 8 gpm, 12 volt						
STORAGE							
2	ea	95 gallon Poly-over-pack drums-screw top castle					
3	roll	Over-pack drum liners, 6-mil (50 count to a roll)					
2	box	Oily waste clean-up bags, 33"X40"X 4-mil (100 count)					
1	drum	Steel 55-gallon open top drum w/lid.					
1	roll	10 mil Reinforced "Blue Stripe" Poly sheeting, 20' X 100'					
1	roll	6 mil Clear Poly Sheeting (Visqueen) 12'X100'					
1	ea	1000-gallon Fol-da-Tank-Urethane Tank/ Steel Frame					
PPE							
1	tote	Tyvex Coveralls (medium)					
1	tote	Tyvex Coveralls (XL)					
1	tote	Tyvex Coveralls (XXL)					
1	tote	Tyvex Coveralls (XXXL)					
1	tote	Rain Suits (assorted sizes)					
1	tote	Overboots (assorted sizes)					
1	tote	Protective Gloves (assorted insulated and non-insulated)					

If any of the items in the conex were used, please mark "X" in the USED column and indicate the quantity used. In addition, please fill out the portion below and send the modified form to the following address:

ADEC/SPAR/PERP		
Attention: Frank Wesser	Conex Accessed By: (please print neatly)	
555 Cordova Street, 2nd Flr	, (())	
Anchorage, AK 99501 or Fax: (907) 2	69-7648	
		Association (Business, Agency, etc.)
ADEC Contact Information:		
Don Fritz (ADEC)	(907) 262-3419	
Frank Wesser (ADEC Logistics)	(907) 269-3062	Signature and Date
ADEC Warehouse: Bob Blea	(907) 344-7380	
ADEC Anchorage	(907) 269-3063	
ADEC After Hours	(800) 478-9300	